

# PAS-230

---

Available as a one or two piece bell option

## APPLICATION      BENEFITS

<b>Ductwork</b>	Prevents contamination during product changeover Maintains material flow
<b>Filters</b>	Prevents high pressure drop Increases bag life Eliminates Build up
<b>Silos/Bins</b>	Prevents ratholing and build up on vertical walls Prevents hopper bridging
<b>Bulk Road Tankers</b>	Ensures maximum payload Aids in complete evacuation
<b>ID Fans</b>	Prevents out of balance conditions Reduces fan energy requirements
<b>Power Generation Plant</b>	Prevents deposit build up on heat transfer surfaces Eliminate steam sootblowers

**and many more!**

---

<b>Specification:</b>	<ul style="list-style-type: none"><li>• Frequency 230 Hz</li><li>• Sound Pressure Level 150 dB</li><li>• Air Pressure Requirement 4.8 – 6.2 bar 70 – 90 psi 480 – 620 kPa</li><li>• Air Consumption 1130 – 2260 l/min 40-80 SCFM <b>when sounding</b></li><li>• Solid Piping 25 mm/1 inch</li><li>• Flexible Piping 20 mm/0.75 inch</li><li>• Overall height 665 mm</li></ul>
-----------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Material of Construction:</b>	<b>Bell Section(s)</b> Spun 316 Grade Stainless Steel
	<b>Wave Generator</b> Solid Machined Stainless Steel
	<b>Diaphragm</b> Ultra High Grade Titanium

<b>Accessory Equipment:</b>	<ul style="list-style-type: none"><li>• <b>Solenoid Valve</b></li><li>• <b>Individual Timer</b></li><li>• <b>Automatic Timing System (PLC)</b></li><li>• <b>Mounting Tube</b></li><li>• <b>Mounting Flange</b></li><li>• <b>Pressure Gauge/Regulator</b></li></ul>
-----------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PRIMASONICS® INTERNATIONAL LIMITED  
Technology Centre Gilwilly Estate, Penrith, Cumbria, CA11 9BD, UK.  
Tel: 44 (0) 1768 866648 Fax: 44 (0) 1768 867355  
Email: [sound@primasonics.com](mailto:sound@primasonics.com) Website: [www.primasonics.com](http://www.primasonics.com)

t  
e  
c  
h  
n  
i  
c  
a  
l